



Product Catalogue Ver 1.0

Plain Plug Gauges

Plain Plug Gauges

They are ideal for inspecting holes or slots (pass/fail). They are also used as Masters for setting Micrometers, Vernier Calipers etc.




 1- 400mm diameter

 Customisation available

 Carbide | Steel

 Metric & Imperial


 IS: 3455 (standard for manufacturing tolerance)

Specifications

Product Information


- We offer a choice of choosing between GO and NO-GO both made in Tungsten Carbide/Steel and GO in Tungsten Carbide with NO-GO in Steel. The latter type is more popular owing to the cost advantage.
- We also manufacture Plain Plug Gauges to relevant I.S., B.S. and DIN standards based on customer requests from 1- 400mm diameter.
- We are also specialize in non-standard designs such as extra lengths, multiple diameters, air grooves, pilots, depth steps and relieved NO-GO ends.

Technical Specifications



Type	Range
Reversible	Φ 0.5-8

* All figures in mm



Type	Range	Φ8-10	Φ10-14	Φ14-18	Φ18-24	Φ24-30	Φ30-40
Taper Shank	L/L1 (Carbide)	10/10	10/10	15/10	15/15	15/15	15/15
	L/L1 (Steel)	10/10	12/10	14/10	16/15	18/15	20/15

* All figures in mm

Unique Features



Features of Plain Plug Gauges


- High Durability
- High Tensile Strength



NABL

Certificate No. : C-0432

KCP Plain Plug Gauges are supplied with Calibration Certificate issued from its accredited calibration lab.



Type	Range	Φ8-10	Φ10-14	Φ14-18	Φ18-24
Trilock	L/L1 (Carbide)	20/18	20/18	-	-
	L/L1 (Steel)	25/18	30/18	35/25	40/25

* All figures in mm




Plate Type

Paddle Type

Type	Range	Φ50-100	Φ100-200	Φ200-300	Φ300-400
Trilock	L/L1 (Carbide & Steel)	25/20	25/20	30/25	30/25

* All figures in mm

precision begins here...



K C Precision

M 107/5/2, MIDC Waluj, Aurangabad 431136 (MS) INDIA. Ph: +91 (0)240 2555895 Telefax: +91 (0)240 2555898

Email: sales@kcpindia.com Web: www.kcpindia.com